A

Abdel-Malek ZA, 316
Abe R, 557
Abeck D, 957
Abu-Libdeh B, 972
Agren MS, 55
Ahmad W, 549
Aiba S, 450
Aita AA, 887
Akagi A, 267
Akiyama M, 82
Albanesi C, 1052
Albert RB, 972
Al-Daraji WI, 779
Alegre M, 639
Algros MP, 1026
Allen J, 871
Alvino E, 79
Amagai M, 199, 845
Amano O, 436
Amodeo DM, 246
Ansai S, 352
Ansel JC, 380
Anthonavage M, 164
Antón R, 139
Anton-Lamprecht I, 87
Antonsdóttir AA, 362
Aoki N, 226, 789
Arteaga LA, 806
Artuc M, 391
Asadullah K, 672
Asawanonda P, 126
Ashton GH, 838
Athar M, 818
Aubin F, 1026
Auwerx J, 94
Avigliano L, 372
Azmi FH, 424

B

Bachot N, 728
Baciu P, 147
Bäckman A, 444
Bagot M, 728
Balmer V, 553
Bamberger C, 133
Barahamani N, 335
Baric I, 851
Barker J, 745
Barnadas M, 639
Barnetson R, 1032
Barré P, 678
Batko S, 972
Bavinck JNB, 686
Baxter RM, 303
Becker JC, 595, 600
Behne M, 589
Beijersbergen Van Henegouwen G, 692
Beitner-Johnson D, 316
Bensussan A, 728
Bickers DR, 818
Bieber T, 830
Bikle DD, 11
Bitoun E, 352
Blankschtein D, 1085
Bodemer C, 352
Böhm M, 533
Bona C, 461
Bonmassar E, 79
Bonté F, 678
Borradori L, 185
Botchkarev VA, 3
Botchkareva NV, 3
Both H, 812
Boucher KM 386
Boumsell L, 728
Bouwstra JA, 606, 897
Boyce ST, 565
Bradley C, 871
Brink PR, 110
Brissette JL, 303
Bröcker E-B, 595, 600, 664
Bröcker H, 645
Brown J, 338
Bruckner-Tuderman L, 185, 852
Bruijnzeel-Koomen, CAFM, 812
Brzoska T, 380, 533
Buddenkotte J, 380
Bull JJ, 17
Bundman D, 102
Bunnett NW, 380
Burge S, 338
Busch DB, 972
Bussaglia E, 639
Buys CHCM, 626
Byers HR, 246

C

Cairey-Remonnay S, 1026
Caldelari R, 553
Calonje E, 493, 941
Camacho, Mercedes, 139
Cannon-Albright LA, 386
Capon F, 745
Carraux P, 513
Castiglia D, 79
Catani MV, 372
Cavani A, 172, 1052
Chadwick CA, 825
Chang E, 752
Chang H, 618
Chatterjee M, 759
Chavanas S, 352
Chen M, 1059
Chen Y, 933
Chilcott RP, 871
Child FJ, 941
Chillà A, 193
Choi YJ, 658
Christiano, AM, 549, 559, 876, 881
Christiano VM, 887
Christoffersen N, 582
Chronnell CMT, 17
Chun Li Y, 631
Claas FHJ, 686
Clarkson SG, 344
Cleaver JE, 972
Clot J, 896
Coleman D, 972
Conner JM, 396
Constantinou A, 344
Cornelius LA, 915
Coulombe PA, 866
Cragg N, 825
Cristiano AM, 232
Crollick J, 972
Crumrine D, 589
Cunningham BB, 972

D

D'atri S, 79
Dahler AL, 859
Dalton CH, 871
Darlington S, 500
Darvas Z, 546
Dazard J-E, 288
De Andrade M, 335
De Angelis T, 759
De Blois MW, 239
De Bruijn H , 239
De Gruijl FR, 812
De Haes P, 692
De Pità O, 172
De Prost Y, 352
De Viragh PA, 102
Degreef H, 692
Dekker SK, 246
Denda M, 65
Derenzini M, 193
Dereure O, 896, 949
Destoumieux D, 275
Detmar M, 800
Diaz LA, 806
Dicker AJ, 859
Didierjean L, 513
Digiovanna JJ, 972
Dinauer MC, 424
Dissanayake M, 338
Djabali K, 559
Dobson-Stone C, 338
Döcke W-D, 672
Dopping-Hepenstal P, 838
Dorotheé G, 728
Doxiadis IIN, 686
Dubbelaar FER, 606
Dumas M, 678
Dummer R, 505
Dunne E, 338
Duranti G, 372
Dutrieux RP, 239
Duvic M, 335

E

Eady RAJ, 232, 282, 838
Eberle J, 1019
Edlund M, 444
EgelrudT, 444
Egyed A, 767
Ekanayake-Mudiyanselage S, 618
Ekholm E, 444
Ekstrand Hammarström B, 444
Elalieh H, 11
Elbe-Bürger A, 767
Elias PM, 25, 94, 589
Eller MS, 126
Elsner P, 618
Emanuel A, 871
Emmert S, 972
Engel P, 983
Enomoto U, 479
Erb E-B, 645
Eshaghi H, 1044
Euvrard S, 1026
Evans WH, 110
Everetts SE, 366

F

Fabisiak JP, 1008
Fairclough R, 338
Fairley JA, 1059
Falcinelli S, 79
Falson F, 513
Falus , 546
Febrer MI, 639
Fecker LF, 1019
Feingold KR, 25, 94
Ferguson I, 396
Ferranti G, 79
Ferreira S, 493
Fine J-D, 549
Finlay-Jones JJ, 396
Fisher GJ, 402
Flageul B, 957
Floeth M, 185
Florell SR, 386
Fluhr JW, 94
Foecking MF, 310
Fogarty A, 1003
Folkers E, 851
Fölster-Holst R, 851
Fowler AJ, 25, 94
French LE, 366
Frenk E, 185
Friedrich M, 672
Fujimori A, 485
Fujimoto N, 479
Fujita M, 126
Funa K, 3
Furuse M, 1073

G

Gachelin G, 957
Ganz T, 275
Gao X-H, 998
Garcia-Patos V, 639
Gardner H, 409
Garmyn M, 692
Garzon MC, 232
Gautier J, 818
Gavin D, 631
Gedde-Dahl Jr, T, 87
Geilen CC, 1019
Gil, MJ, 639
Gilchrest BA, 3, 126
Gilliam TC, 549
Girolomoni G, 172, 1052
Gjesti A, 87
Glaser B, 559

0022-202X/01/$15.00 • Copyright © 2002 by The Society for Investigative Dermatology, Inc.

Gniadecki R, 582
Gobin R, 678
Goebel WS, 424
Goetinck PF, 147
Gomez-Sanchez C, 310
Gondran C, 678
Gooris GS, 606
Gordon D, 549, 876
Gordon JS, 164
Gore EA, 704
Govoni M, 193
Grant KR, 779
Grassl G, 652
Gray J, 1003
Green A, 500
Green J, 881
Green L, 500
Griffiths WA, 838
Grimbaldeston MA, 396
Groh V, 600
Grossman L, 972
Gruis NA, 686
Grunewald S, 645
Gschwendt B, 923
Guðjónsson JE, 362
Guikers KLH, 812
Guilhou J-J, 896
Guitard M, 589
Gulcher JR, 362
Günther S, 327

H

Haase I, 891
Hadshiew IM, 126
Hafner C, 505
Hahn M, 645
Haider R, 79
Hald Andersen M, 595
Hall J, 505
Halliday St C, 1032
Hamel-Teillac D, 352
Hanakawa Y, 845
Hanley K, 25
Hansson L, 444
Hara M, 998
Harper JI, 352
Hart PH, 396
Has C, 851
Hashiguchi T, 547
Hata J, 199
Hata Y, 479
Hauschild A, 545
Hayashi K, 712
He T, 402
Hedayati M, 972
Hegyesi H, 546
Helmbach H, 923
Hemminki K, 180, 893
Henz BM, 391
Herron GS, 573, 752
Hibino T, 147, 93
Higuchi D, 147
Hiran TS, 424
Hirotsu S, 255
Hoffmann R, 983
Hohl D, 185
Holden J, 386
Hood AF, 424
Hoon LK 658
Horev L, 559, 876
Hosaka E, 471
Hovnanian A, 338, 352
Hoyheim B, 87
Hube B, 652
Huber M, 185
Huber O, 3
Humbey O, 1026
Hummler E, 589
Hunzelmann N, 891
Hunziker T, 553
Hyde P, 232

I

Iizuka H, 282
Imajoh-Ohmi S, 485
Impola U, 55
Inaba K, 261
Inoue N, 485
Inoue S, 43, 998
Inui H, 972
Irvine AD, 352
Ishibashi A, 267, 479
Ishida-Yamamoto A, 282
Ishikawa O, 43
Itami S, 998
Ito M, 226
Ito M, 35, 471
Itoh M, 1073

J

Jacquet C, 288
Jahnsen FL, 87
Jakobson E, 1044
Jalbert NL, 246
Jan Tangelder G, 323
Jansen CT, 180, 893
Janssen GHGW, 323
Jarnik M, 102
Järvholm B, 719
Jian Li X, 631
Jiang Y, 631
Jiricny J, 79
Johansson C, 1044
Johnson C, 424
Jonkman MF, 626
Jorgensen RS, 87

K

Kadin ME, 949
Kadoya Y, 712
Kagan VE, 1008
Kalgaard OM, 699
Kanazawa N, 261
Kanda N, 519
Kang D-S, 658
Kang S, 402
Kanitakis J, 1026
Kannenberg F, 851
Kanzaki T, 547
Kao J, 94
Kårason A, 362
Karsdal MA, 55
Kasraee B, 205
Katagiri T, 73
Kato S, 11
KatoT, 73
Katoh N, 830
Katz KA, 1038
Kavanagh R, 316
Kawa Y, 35, 471
Kawai K, 1008
Kawakami T, 471
Kelleher D, 1059
Kennedy C, 686
Kern MA, 923
Kernland K, 553
Khan SG, 972
Khlgatian MK, 126
Kim AL, 818
Kim KH, 1085
Kimura K, 552
Kissel C, 923
Klapholz L, 559, 876
Klein A, 672
Klubal R, 767
Knol EF, 812
Kobayashi H, 430
Kobayashi K, 547
Kobayashi S, 267
Kodama K, 967
Kölgen W, 812
Kollias N, 295
Komatsu N, 436
Kommineni C, 1008
Komuves L, 11, 589
Kömüves LG, 25
Kondo H, 430
Kondoh G, 998
Kong J, 631
Konig IR, 155
Konohana I, 479
Korting HC, 652
Koss-Harnes D, 87
Kostka K-H, 540
Kourilsky P, 957
Koyasu S, 199
Kraemer KH, 972
Kraft S, 830
Kreibich G, 933
Kristal L, 232
Kuchel JM, 1032
Kumazawa N, 65
Küttel R, 505
Kvernebo K, 699

L

Laihia J, 893
Lalle P, 344
Lam H, 881
Lane EB, 185
Langbein L, 226, 789
Langer R, 1085
Laurent R, 1026
Lazar-Molnar E, 546
Leachman SA, 386
Leary C, 11
Leccia, M-T, 246
Lee M-M, 972
Lee W-J, 658
Lehr C-M, 540
Levi E, 949
Li Z, 533
Liang S-B, 1080
Lin M-S, 806
Liu AY, 275
Liu J, 549
Liu L, 275
Liu Z, 806
Llanos F, 896
Lobaccaro J-MA, 25
LonieL, 352
Luger TA, 380, 533

M

Maaijwee KJM, 323
Mahmud N, 1059
Mailhammer R, 652
Major M, 645
Mallipeddi R, 838
Mami-Chouaib F, 728
Man, M-Q, 25, 94
Mangelsdorf DJ, 25
Mann U, 767
Manome H, 450
Marcil I, 1038
Mariani V, 172
Marra G, 79
Martí RM, 639
Martinez Ruiz E, 639
Martinez-Mir A, 549
Martinez-Mir, Amalia, 559, 876, 881
Masuda R, 485
Matias-Guiu X, 639
Matic M, 110
Matsubara Y, 267
Matsuyoshi N, 1080
Mauny F, 1026
Mauro T, 589
Mauviel A, 211
Mazzalupo S, 866
Mcclean WHI, 232, 838
Mcdermott PJ, 704
Mcelwee KJ, 983
Mcgaha TL, 461
Mcgrath JA, 232, 838
Mckay IA, 17
Mclean WHI, 530
Meding B, 719
Melino G, 372
Mempel M, 957
Metze D, 533
Meyer LJ, 386
Meyer-Hoffert U, 49
Millar SE, 216
Mingari MC, 595
Mirastschijski U, 55
Mitsuhashi Y, 352
Miyachi Y, 261, 1073, 1080
Mizoguchi M, 35, 471
Mizue Y, 557
Mizugaki M, 430
Mochizuki M, 712
Möckli N, 416
Moderer M, 327
Moison R, 692
Moll T, 645
Mollah ZUA, 450
Mommaas M, 327
Monaco AP, 338
Montanaro L, 193
Morand M, 678
Morita K, 1073
Mork C, 699
Morley SM, 232, 530
Moser AH, 25
Mössner R, 155
Motokawa T, 73
Mougin C, 1026
Mulholland J, 759
Müller CSL, 618
Müller E, 553
Müller-Röver S, 17
Munro CS, 338
Munro M, 745
Munteanu LS, 664
Murphy RC, 424
Musette P, 957
Nagavarapu U, 573, 752

N

Nahuys M, 724
Naipal A, 686
Nakahara M, 255
Nakamura E, 73

Nakanishi T, 998
Nasorri F, 172, 1052
Nassit A, 728
Neumann C, 155
Neumann HAM, 239
Ng DC, 11
Nijenhuis M, 626
Nishifuji K, 845
Nishihira J, 557
Nishikawa T, 199, 552
Nishimura H, 261
Noda T, 430
Noè A, 759
Noël D, 288
Nomizu M, 712
Norlén L, 898
Norris DA, 126
Nouspikel T, 344
Novak N, 830
Ny A, 444

O

O'Toole EA, 1059
Oda Y, 589
Ogo M, 147
Ohka R, 436
Ohnishi Y, 479
Ohshima N, 323
Ohsumi K, 471
Ohtsuki Y, 1080
Ohyama M, 199
Okabe M, 998
Okazaki T, 261
Olaisen B, 87
Olie RA, 505
Olt S, 767
Ookawa K, 323
Oppel T, 327
Orchard G, 493, 941
Orfanos CE, 1019
Orlow SJ, 933
Ostergaard Pedersen L, 595
Ota T, 199
Otsuki N, 436
Ott J, 549, 876
Oude Egbrink MGA, 323
Oura H, 800
Owada Y, 430
Ozawa N, 43

P

Pagani E, 79
Panos R, 409
Panteleyev AA, 881, 887
Pappas A, 164
Paradisi M, 352
Park CH, 275
Pas HH, 626
Pasanen P, 893
Paus R, 17
Payne AS, 915
Pelegrin M, 288
Pepponi R, 79
Pereira E, 316
Perrera C, 79
Pession A, 193
Petermann S, 664
Petersen JE, 424
Pfaller K, 117
Phelps RG, 461
Philipp S, 672
Philpott MP, 17
Photiou A, 493
Piechaczyck M, 288
Pilgram G, 897
Pisarchik A, 1065
Pollet D, 133
Ponec M, 606
Ponec SK, 897
Portales P, 896
Potten CS, 825
Praetzel S, 789
Prisayanh PS, 806
Proksch E, 49
Puddu P, 172
Puig L, 139
Pujol RM, 639
Pulkkinen L, 232
Pupe A, 692

Q

Quan T, 402

R

Rappersberger K, 767
Rassner U, 589
Reich K, 155
Relloma K, 573
Remling R, 957
Reneman RS, 323
Renz K, 923
Reynolds NJ, 779
Rhodes L, 692
Ring J, 957
Ritz J, 366
Ro JY, 658
Robinson DJ, 239
Rogalski C, 49
Rogers MA, 226, 789
Romani N, 117
Rook AH, 366
Roop DR, 102
Rossi A, 372
Rossmann E, 923
Rot A, 767
Rothnagel JA, 859
Roujeau J-C, 728
Rudolph R, 409
Rugg EL, 185
Rúnarsdóttir EH, 362
Rupec RA, 830
Rush RA 396
Russell T, 859
Russell-Jones T, 493, 941
Ryan K, 779

S

Saarialho-Kere U, 55
Saheki T, 547
Saijoh K, 436
Saito T, 485
Sakai S, 43
Sakiyama H, 485
Salzmann S, 618
Samaraweera P, 933
Samlowski WE, 386
Sander CA, 652
Sander CS, 618
Sanghavi J, 1059
Sasaki H, 1073
Sato M, 704
Sato-Matsumura KC, 967
Saunders NA, 859
Saurat J-H, 513
Savini I, 372
Sawamura D, 967
Saxton A, 779
Sayo T, 43
Scarisbrick JJ, 493, 941
Schäcke H, 185
Schadendorf C, 545
Schadendorf D, 545, 923
Schaefer U, 540
Schaller M, 652
Schärer E, 102
Scheffer H, 626
Schegget J, 686
Scheynius A, 1044
Schiller M, 533
Schiöth HB, 533
Schlattner U, 416
Schmale H, 133
Schmidt E, 664
Schmuth M, 25, 94
Schnopp C, 957
Schoonjans K, 94
Schottdorf E-M, 327
Schuilenga-Hut PHL, 626
Schulze-Osthoff K, 380
Schweizer J, 226, 789
Sebastiani S, 172, 1052
Seedorf U, 851
Seiffert K, 533
Seltmann H, 533
Senshu T, 282
Serewko MM, 859
Serrano S, 639
Setoyama M, 547
Seyama Y, 479
Shackleton C, 310
Shahlavi, Tala, 972
Sharov AA, 3
Sheehan JM, 825
Shegogue D, 704
Sheu MY, 94
Shimada H, 547
Shimizu H, 282, 552, 557, 967
Shimizu T, 557
Shimomura Y, 226
Shinkai H, 485
Shpacovitch VM, 380
Shvedova AA, 1008
Sigrist B, 505
Simon M, 110
Simon MN, 102
Sinclair C, 1003
Sinclair R, 881
Siskind V, 500
Sitaru C, 664
Skottner A, 533
Slaaf DW, 323
Slominski A, 310, 1065
Slor H, 972
Slusser J, 335
Smith EA, 704
Smith FJD, 530
Smith FJ, 838
Smitt JHS, 724
Snellman E, 180, 893
So PTC, 1085
Soma T, 993
Soma Y, 35, 471
Somlai B, 546
Sommerhoff CP, 380
Sorg O, 513
Sougrat R, 678
Speer O, 416
Spiera H, 461
Spies T, 600
Stahel RA, 505
Stahl C, 380
Stamatas GN, 295
Ständer S, 533
Stanley JR, 845
Star WM, 239
Steckelings UM, 391
Stefánsson K, 362
Steijlen P, 724
Steinhoff M, 380
Stern RS, 1038
Sterry W, 672
Steven AC, 102
Stingl G, 767
Stoitzner P, 117
Stössel H, 117
Strachan T, 338
Struijker Boudier HAJ, 323
Strujik L, 686
Strutton GM, 859
Sudbrak R, 338
Sugai M, 845
Sugitani Y, 430
Sugiyama Y, 43
Sun T-T, 933
Supp AP, 565
Suzuki I, 430
Suzuki I, 73
Suzuki R, 430
Swope VB, 565
Szczesniewski A, 310
Szulgit G, 409

T

Tada A, 316
Tagami H, 430, 450
Taïeb A, 352
Tajima S, 267, 479
Takahashi H, 282
Takahashi T, 147
Takahashi Y, 43
Takano H, 430
Takata M, 436
Takeda A, 147
Takeda J, 998
Takehana M, 267
Takehara K, 436
Takeuchi T, 1080
Takizawa Y, 552
Tamura M, 43
Tarutani M, 998
Tashiro K, 261
Tazzari PL, 193
Tenenhaus M, 409
Tengvall Linder M, 1044
Terasaki K, 547
Terui T, 430
Teufel G, 645
Thiele JJ, 618
Thissen MR, 239
Thor Straten P, 595, 600
Thorel F, 344
Thumiger R, 1003
Tomioka Y, 430
Tomita Y, 73, 255
Törnell J, 444
Toshihiro T, 967
Townley SL, 396
Tran C, 513
Traupe H, 851
Travers JB, 424
Trembath R, 745
Trerè D, 193
Trojanowska M, 704
Tsuji Y, 993
Tsukita S, 1073
Tsunoda K, 199

Tuneu A, 639
Tyurin VA, 1008
Tyurina YY, 1008

U

Uchinuma E, 712
Uchiwa H, 255
Ueda T, 972
Uitto J, 232
Umezawa A, 199

V

Valdimarsson H, 362
Valore EV, 275
Van Der Gaag EJ, 246
Van Geel M, 724
Van Steensel MAM, 724
Van Vloten WA, 812
Van Weelden H, 812
Verbavatz J-M, 678
Verrecchia F, 211
Vetter CS, 595, 600
Vila L, 139
Volk H-D, 672
Vonderheid EC, 949
Voorhees JJ, 402

W

Wachi H, 479
Wagner H, 540
Wallbrandt P, 444
Wallimann T, 416
Wan H, 232, 838
Wandel A, 409
Wang KS, 366
Warden GD, 565
Warren SJP, 806
Watabe H, 35
Watanabe H, 471
Watanabe H, 557
Watanabe S, 519
Wawersik MJ, 866
Wehrens XHT, 323
Weiner MS, 549
Weir D, 1059
Wennbo H, 444
Werner S, 416
Werther D, 1003
Westphal G, 155
White P, 1003
Whittaker SJ, 493, 941
Whittock NV, 232, 838
Wiche G, 87
Wiedow O, 49
Willemze R, 686
Willers J, 505
Williams ML, 25
Winter H, 789
Wohlleben C, 645
Wollenberg A, 327
Wong AV, 275
Woodley DT, 1059
Woolford AJ, 493
Wortsman J, 310
Wraight R, 1003
Wu J, 295
Wulf HC, 582
Wyder M, 553
Wysocka M, 366

X

Xie Z, 11
Xu G, 893

Y

Yaar M, 126
Yajima K, 471
Yajima M, 479
Yamaguchi N, 267
Yamaguchi T, 845
Yamaguchi Y, 998
Yamamoto K, 485
Yamanaka H, 430
Yamasaki E, 471
Yamashina S, 712
Yang J, 752
Yano K, 800
Yasukawa K, 552, 967
Yokota K, 552, 967
Yoshida M, 255
Yoshida Y, 1073
Yoshikawa K, 998
Yoshino Y, 450
Yoshizawa T, 11
Yotsumoto S, 547
Young Kim J, 658
Young AR, 825
Yu B, 1085
Yu QC, 11

Z

Zaki MH, 366
Zambruno G, 79, 352
Zangemeister-Wittke U, 505
Zhang Q, 335
Zhang S-H, 396
Zhao C, 180
Zhou S, 1080
Zhou X-F, 396
Ziegler A, 155
Zillikens D, 664
Zlotogorski A, 559, 876, 881, 887
Zöller M, 983
Zone JJ, 386
Zouboulis CC, 533

A

Abstracts, CARD, 1089
Acanthosis nigricans, malignant (MAN), 891
Activation of Epidermal Growth Factor Receptor/ERK Signaling Correlates with Suppressed Differentiation in Malignant Acanthosis Nigricans, *Letter*, Haase I, Hunzelmann N, 891
Activation of Nickel-Specific CD4$^+$ T Lymphocytes in the Absence of Professional Antigen-Presenting Cells, Nasorri F, Sebastiani S, Mariani V, De Pità O, Puddu P, Girolomoni G, Cavani A, 172
Adenylate cyclase, 519
Adhesion molecules, in chronic urticaria, 658
Adipocytes, in IL-4 overexpressing mice, 767
Adolescents, evolution of melanocytic nevi, 500
Advanced Glycation End Product-Modified β_2-Microglobulin is a Component of Amyloid Fibrils of Primary Localized Cutaneous Nodular Amyloidosis, Fujimoto N, Yajima M, Ohnishi Y, Tajima S, Ishibashi A, Hata Y, Enomoto U, Konohana I, Wachi H, Seyama Y, 479
Advanced glycation end products, 479
Aggregation of the High-Affinity IgE Receptor FcεRI on Human Monocytes and Dendritic Cells Induces NF-κB Activation, Kraft S, Novak N, Katoh N, Bieber T, Rupec RA, 830
Aging, cutaneous vascular, 752
Aging and Survival of Cutaneous Microvasculature, Chang E, Yang J, Nagavarapu U, Herron GS, 752
Agonists of Proteinase-Activated Receptor 2 Induce Cytokine Release and Activation of Nuclear Transcription Factor κB in Human Dermal Microvascular Endothelial Cells, Shpacovitch VM, Brzoska T, Buddenkotte J, Stahl C, Sommerhoff CP, Ansel JC, Schulze-Osthoff K, Bunnett NW, Luger TA, Steinhoff M, 380
Allelic loss, P15 and P16 genes, 493
Allergic contact dermatitis
  nickel, 172, 1052
peroxisome proliferator activated receptor-α agonists, 94
All-*trans*-retinoic acid, 35, 133
All-*trans* Retinoic Acid Induces Differentiation and Apoptosis of Murine Melanocyte Precursors with Induction of the Microphthalmia-Associated Transcription Factor, Watabe H, Soma Y, Ito M, Kawa Y, Mizoguchi M, 35
Alopecia
  areata
    familial, 335
    macrophage migration inhibitory factor (MIF), 557
    mouse model, 983
  atrichia with papular lesions, 881, 887
  in vitamin D receptor inactivation, 631
α-helix coiled-coiled rod homolog genes, 745
Alterations in Fibroblast α1β1 Integrin Collagen Receptor Expression in Keloids and Hypertrophic Scars, Szulgit G, Rudolph R, Wandel A, Tenenhaus M, Panos R, Gardner H, 409
Altered Water Barrier Function in Epidermal-Type Fatty Acid Binding Protein-Deficient Mice, Owada Y, Takano H, Yamanaka H, Kobayashi H, Sugitani Y, Tomioka Y, Suzuki I, Suzuki R, Terui T, Mizugaki M, Tagami H, Noda T, Kondo H, 430
Alternative splicing, corticotropin releasing factor receptor type 1, 1065
5-Aminolevulinic acid, intracutaneous injection, 239
Amyloid fibrils, β_2-microglobulin in, 479
Amyloidosis, primary localized cutaneous nodular, 479
Analysis of ATP2C1 Gene Mutation in 10 Unrelated Japanese Families with Hailey–Hailey Disease, *Letter*, Yokota K, Takizawa Y, Yasukawa K, Kimura K, Nishikawa T, Shimizu H, 552
Anaphylaxis, cutaneous, 645
Angiogenesis, role in photo-damage, 800
Anti-FcεRI α chain antibodies, 658
Antigen-presenting cells
  in nickel allergy, 172
  surface receptors, 261
  see also Dendritic cells; Langerhans cells
Antimicrobial peptides, 275
Antioxidant enzymes, in photoaged skin, 618
Antisense therapy
  bcl-2 and bcl-xL, 505
  psoriasis, 1003
AP-1 (activating protein 1), 372
AP-2 (activating protein 2), 519
Apoptosis
  all-*trans* retinoic acid induced, 35
  antisense-treated melanoma cells, 505
  CD4$^+$ T lymphocytes, 895
  deficiency, drug-resistant melanoma, 923
  dyskeratosis congenita cells, 193
  hair cycle, 993
  Langerhans cells, 812
  malignant skin homing T lymphocytes, 949
  nitric oxide synthase induction and, 1019
  in oxidative stress, 1008
Aprotinin, 55
Aquaporin 3 (AQP3), in human skin epidermis, 678
Ascorbic acid, 372, 565
Aspergillus fumigatus, inflammatory response, 424
Atopic dermatitis
  IL-4 overexpression and, 767
  Malassezia furfur patch test reactivity, 1044
  mannose receptor (CD206), 327
  tratum corneum chymotryptic enzyme, 444
Atopy
  childhood, and adult hand eczema, 719
  in Netherton syndrome, 352, 436
  NF-κB activation, 830
  role of flu antigen, 645
ATP2C1 gene mutations, 338, 552
Atrichia with papular lesions, 881, 887
Autoantibodies to Bullous Pemphigoid Antigen 180 Induce Dermal–Epidermal Separation in Cryosections of Human Skin, Sitaru C, Schmidt E, Petermann S, Munteanu LS, Bröcker E-B, Zillikens D, 664

B

Bacteria, regulation of β-defensin-2, 275
Barrier function, skin
  in epidermal-type fatty acid binding protein-deficient mice, 430
  glycosylphosphatidylinositol-anchored proteins, 998
  negative electric potential effects, 65
  single gel phase model, 897, 899
  transepidermal water loss and, 871
  vitamin C and, 565
Basal cell carcinoma
  cell line (BCC1), 859
  in PUVA-treated psoriasis, 1038
Basal cell layer, T-cadherin, 1080
Basement membrane, vitamin C and, 565
Batimastat, 759
BB-3103 (matrix metalloproteinase inhibitor), 55
Bcl-2, 35, 505
Bcl-2 and bcl-xL Antisense Oligonucleotides Induce Apoptosis in Malignant Melanoma Cells of Different Clinical Stages, Olie RA, Hafner C, Küttel R, Sigrist B, Willers J, Dummer R, Hall J, Stahel RA, Zangemeister-Wittke U, 505
Bcl-xL, 505
β_2-microglobulin, advanced glycation end product-modified, 479
Blood vessels, skin *see* Microvasculature, cutaneous
Bone morphogenetic proteins (BMP), 3
Bullous impetigo, 845
Bullous pemphigoid, 664
  hamster, 485
Bullous pemphigoid antigen 180 (BP180) *see* Collagen, type XVII

0022-202X/00/$15.00 • Copyright © 2002 by The Society for Investigative Dermatology, Inc.

C

C3H/HeJ mouse, alopecia areata model, 983
C-5 Propyne-Modified Oligonucleotides Penetrate the Epidermis in Psoriatic and Not Normal Human Skin After Topical Application, White PJ, Gray AC, Fogarty RD, Sinclair RD, Thumiger SP, Werther GA, Wraight CJ, 1003
Cadherins, 1080
Calcineurin, 779
Calcium ion gradient, epidermal, 65
Cancer immunotherapy, histamine in, 545
Candida species, oral infections, 652
CARD abstracts, 1089
Caspase, 923
Caspase-3, 35, 1008
Catagen induction, TGF-β2 involvement, 993
Catalase, in photoaged skin, 618
CCAAT/enhancer-binding proteins (C/EBP), 17
$CD4^+/CD25^+$ regulatory T lymphocytes, in alopecia areata, 983
$CD4^+$ T lymphocytes
  defective post-activation apoptosis, 895
  in granuloma annulare, 957
  nickel-specific, 172, 1052
$CD8^+$ T lymphocytes, nickel-specific, 1052
$CD34^+$ hematopoietic progenitor cells, 450
CD44 variant isoform, in alopecia areata, 983
CD94/NKG2 receptors, MART-1-reactive T cells, 589
CD206 (mannose receptor), 327
CDKN2A mutation carriers, 386
Cell cycle, UVB-induced arrest, 818
Ceramide 1 (CER1), 606
Characterization of Keratinocyte Differentiation Induced by Ascorbic Acid: Protein Kinase C Involvement and Vitamin C Homeostasis, Savini I, Catani MV, Rossi A, Duranti G, Melino G, Avigliano L, 372
Chemokine receptors, in melanoma progression and metastasis, 915
Chemokines
  in melanoma progression and metastasis, 915
  in nickel allergy, 1052
Cholesterol
  in Conradi–Hünermann–Happle syndrome, 851
  in stratum corneum lipid mixtures, 606
Cholesterol-Rich Plasma Membrane Domains (Lipid Rafts) in Keratinocytes: Importance in the Baseline and UVA-Induced Generation of Reactive Oxygen Species, Gniadecki R, Christoffersen N, Wulf HC, 582
Chondrodysplasia punctata, 851
Chromosome 1q42.3–43, 876
Chromosome 9p21, 493, 941
Chronic granulomatous disease, 424
Cisplatin resistance, melanoma cells, 923
Claudin-6, 1073
Clinical and Molecular Diagnostic Criteria of Congenital Atrichia with Papular Lesions, Zlotogorski A, Panteleyev AA, Aita VM, Christiano AM, 887
Clofibrate, 94
Cloning of Hamster Type XVII Collagen cDNA, and Pathogenesis of Anti-Type XVII Collagen Antibody and Complement in Hamster Bullous Pemphigoid, Yamamoto K, Inoue N, Masuda R, Fujimori A, Saito T, Imajoh-Ohmi S, Shinkai H, Sakiyama H, 485
Close-Up View of Migrating Langerhans Cells in the Skin, Stoitzner P, Pfaller K, Stössel H, Romani N, 117
Clouston syndrome, 530
Cockayne syndrome, 344, 972
Collagen
  production, scleroderma fibroblasts, 704
  receptor ($\alpha 1\beta 1$ integrin), 409
  type I, inhibition of synthesis, 461
  type VII
    antibodies, 1059
    gene transfection, 967
    mutation, 549
  type XVI (α_1), in dermal dendrocytes, 267
  type XVII (BP180)
    antibodies, hamster, 485
    autoantibodies, cryosection model, 664
    mutations, 185
Colon, collagen type VII antigen, 1059
Complement, in hamster bullous pemphigoid, 485
Compound Heterozygosity for Non-sense and Mis-sense Mutations in Desmoplakin Underlies Skin Fragility/Woolly Hair Syndrome, Whittock NV, Wan H, Morley SM, Garzon MC, Kristal L, Hyde P, McLean WHI, Pulkkinen L, Uitto J, Christiano AM, Eady RAJ, McGrath JA, 232
Connective tissue growth factor, 402
Connective Tissue Growth Factor: Expression in Human Skin *In Vivo* and Inhibition by Ultraviolet Irradiation, Quan T, He T, Kang S, Voorhees JJ, Fisher GJ, 402
Connexin
  26 mutation, 724
  30 mutation, 530
  43, epidermal stem cells, 110
Conradi–Hünermann–Happle syndrome, 851
Contact dermatitis
  allergic *see* Allergic contact dermatitis
  peroxisome proliferator activated receptor-α agonists, 94
Contact hypersensitivity, UVB-induced suppression, 396
Contrasting Expression Patterns of CCAAT/Enhancer-Binding Protein Transcription Factors in the Hair Follicle and at Different Stages of the Hair Growth Cycle, Bull JJ, Müller-Röver S, Chronnell CMT, Paus R, Philpott MP, McKay IA, 17
Cord Blood $CD34^+$ Cells Differentiate into Dermal Dendritic Cells in Co-Culture with Cutaneous Fibroblasts or Stromal Cells, Mollah ZUA, Aiba S, Manome H, Yoshino Y, Tagami H, 450
Corneodesmin, psoriasis susceptibility, 745
Cornified cell envelope, 102, 282
Correlation Analysis of Production and Photoisomerization of Epidermal Urocanic Acid *Versus* Induction and Repair of DNA Photoproducts in the Human Skin *In Situ*, *Letter*, Snellman E, Jansen CT, Xu G, Pasanen P, Laihia J, Hemminki K, 893
Corticosteroids, metabolism in keratinocytes, 310
Corticotropin releasing factor receptor type 1, 1065
Corticotropin Releasing Factor Receptor Type 1: Molecular Cloning and Investigation of Alternative Splicing in the Hamster Skin, Pisarchik A, Slominski A, 1065
Cowden syndrome, 639
CRBP-1, UVA-induced expression, 513
Creatine kinase, 416
Creatine Kinase and Creatine Transporter in Normal, Wounded and Diseased Skin, Schlattner U, Möckli N, Speer O, Werner S, Wallimann T, 416
Creatine transporter, 416
CREB, 316
Crohn's disease, 1059
Cryosections, human skin, 664
Cultured skin substitutes, 565
Cumene hydroperoxide, 1008
Cutaneous B cell lymphoma, primary, 941
Cutaneous T cell lymphoma, 366, 493, 895, 949
Cyclin D, 818
Cyclin-dependent kinase 4, 818
Cyclobutane pyrimidine dimers, in melanocytic nevi, 180
Cyclosporin A, 779
Cytochrome c, 923
Cytokines
  in granuloma annulare, 957
  in oral *Candida* infections, 652
  PAR-2 induced release, 380
  UVB-induced release, 692
  see also specific cytokines
Cytotoxic T cells, drug-specific, 728

D

DCIR Acts as an Inhibitory Receptor Depending on its Immunoreceptor Tyrosine-Based Inhibitory Motif, Kanazawa N, Okazaki T, Nishimura H, Tashiro K, Inaba K, Miyachi Y, 261
β-Defensin-2, human, 275
Deimination, keratin 1 (K1), 282
Deletion of the Cytoplasmic Domain of BP180/Collagen XVII Causes a Phenotype with Predominant Features of Epidermolysis Bullosa Simplex, Huber M, Floeth M, Borradori L, Schäcke H, Rugg EL, Lane EB, Frenk E, Hohl D, Bruckner-Tuderman L, 185

Dendritic cell immunoreceptor (DCIR), 261
Dendritic cells
differentiation from CD34+ cells, 450
FcεRI aggregation, 830
mannose receptor (CD206), 327
migrating, 117
surface receptors, 261
type XVI collagen expression, 267
see also Langerhans cells
Depigmentation of Brown Guinea Pig Skin by Topical Application of Methimazole, *Letter*, Kasraee B, 205
Dermal–epidermal separation, cryosections of human skin, 664
Desmoglein
type 1 (Dsg1)
and 3 (Dsg3) antibodies, co-existing, 553, 806
cleavage, 845
type 3 (Dsg3) antibodies, 199
Desmoplakin, compound heterozygous mutations, 232
Dexoxycorticosterone, metabolism in keratinocytes, 310
Differential Expression of Inhibitory or Activating CD94/NKG2 Subtypes on MART-1-Reactive T Cells in Vitiligo *Versus* Melanoma: A Case Report, Ostergaard Pedersen L, Vetter CS, Mingari MC, Anderson MD, thor Straten P, Bröcker E-B, Becker JC, 589
Dihydrotestosterone, 519
DNA, intradermal injection, 967
DNA damage, UV-induced
in melanocytic nevi, 180
protective properties of tanning, 825
repair, urocanic acid and, 893
see also Photodamage
DNA mismatch repair, in melanoma, 79
DNA repair
in tanned human skin, 825
in xeroderma pigmentosum, 344, 972
Does the Single Gel Phase Exist in Stratum Corneum? *Letter*, Bouwstra JA, Pilgram GSK, Ponec M, 897
reply, Norlén L, 899
Dopachrome tautomerase, 73
Drug Resistance Towards Etoposide and Cisplatin in Human Melanoma Cells is Associated with Drug-Dependent Apoptosis Deficiency, Helmbach H, Kern MA, Rossmann E, Renz K, Kissel C, Gschwendt B, Schadendorf D, 923
Drug Specific Cytotoxic T-Cells in the Skin Lesions of a Patient with Toxic Epidermal Necrolysis, Nassif A, Bensussan A, Dorothée G, Mami-Chouaid F, Bachot N, Bagot M, Boumsell L, Roujeau J-C, 728
Dyskeratosis congenita, X-linked, 193

E

EB Simplex Superficialis Resulting from a Mutation in the Type VII Collagen Gene, *Letter*, Martinez-Mir A, Liu J, Gordon D, Weiner MS, Ahmad W, Fine J-D, Ott J, Gilliam TC, Christiano AM, 549
Ectodermal dysplasia, hidrotic, 530
Eczema
hand, 719
see also Atopic dermatitis; Contact dermatitis
Eicosanoids, in psoriasis, 139
Eicosapentaenoic acid, 692
Eicosapentaenoic Acid, a n-3 Polyunsaturated Fatty Acid Differentially Modulates TNF-α, IL-1α, IL-6 and PGE_2 Expression in UVB-Irradiated Human Keratinocytes, Pupe A, Moison R, De Haes P, van Henegouwen GB, Rhodes L, Degreef H, Garmyn M, 692
Elastase, 49
Electric potential, negative, 65
Elevated Stratum Corneum Hydrolytic Activity in Netherton Syndrome Suggests an Inhibitory Regulation of Desquamation by SPINK5-Derived Peptides, Komatsu N, Takata M, Otsuki N, Ohka R, Amano O, Takehara K, Saijoh K, 436
Emopamil binding protein, 851
The ENaC Channel is Required for Normal Epidermal Differentiation, Mauro T, Guitard M, Behne M, Oda Y, Crumrine D, Komuves L, Rassner U, Elias PM, Hummler E, 589
Endothelial cells
aging and survival, 752
chronic urticaria, 658
PAR-2, 380
Endothelin-1, 316
Enhanced Cutaneous Inflammatory Reactions to *Aspergillus fumigatus* in a Murine Model of Chronic Granulomatous Disease, Petersen JE, Hiran TS, Goebel WS, Johnson CJ, Murphy RC, Azmi FH, Hood AF, Travers JB, Dinauer MC, 424
Eosinophilic spongiosis, in pemphigus vulgaris mouse model, 199
Epidermal growth factor receptor (EGFR), 891
Epidermal Langerhans Cell Depletion After Artificial Ultraviolet B Irradiation of Human Skin *In Vivo*: Apoptosis *Versus* Migration, Kölgen W, Both H, van Weelden H, Guikers KLH, Bruijnzeel-Koomen CAFM, Knol EF, van Vloten WA, de Gruijl FR, 812
Epidermal Overexpression of Stratum Corneum Chymotryptic Enzyme in Mice: A Model for Chronic Itchy Dermatitis, Hansson L, Bäckman A, Ny A, Edlund M, Ekholm E, Hammarström BE, Törnell J, Wallbrandt P, Wennbo H, Egelrud T, 444
Epidermal stem cells, 110
Epidermal Stem Cells do not Communicate Through Gap Junctions, Matic M, Evans WH, Brink PR, Simon M, 110
Epidermis
AQP3 expression, 678
β-defensin-2, 275
epithelial sodium channel (ENaC), 589
liver X receptor-β, 25
maculae occludentes, 1073
membrane type 1 matrix metalloproteinase, 573
negative electric potential effects, 65
photoproduct levels, 180
UVA-induced vitamin A depletion, 513
Epidermolysis bullosa
acquisita, 1059
dystrophic (DEB), 549
simplex
BP180/collagen XVII mutations, 185
Ogna, 87
recessive, revertant mosaicism, 626
superficialis (EBSS), 549
The Epidermolysis Bullosa Acquisita Antigen (Type VII Collagen) is Present in Human Colon and Patients with Crohn's Disease have Autoantibodies to Type VII Collagen, Chen M, O'Toole EA, Sanghavi J, Mahmud N, Kelleher D, Weir D, Fairley JA, Woodley DT, 1059
Epithelial sodium channel (ENaC), 589
ERK1/2, 316, 891
Erythroderma
bullous congenital ichthyosiform, 282
in Netherton syndrome, 352, 436
Erythrokeratoderma, 724
Erythromelalgia, 699
E-selectin, 323
Especially Polymorphonuclear Leukocytes, but also Monomorponuclear Leukocytes, Roll Spontaneously in Venules of Intact Rat Skin: Involvement of E-Selectin, oude Egbrink MGA, Janssen GHGW, Ookawa K, Slaaf DW, Reneman RS, Wehrens XHT, Maaijwee KJM, Ohshima N, Struijker Boudier HAJ, Tangelder GJ, 323
17β-Estradiol, 519
17β-Estradiol Enhances Vascular Endothelial Growth Factor Production and Dihydrotestosterone Antagonizes the Enhancement via the Regulation of Adenylate Cyclase in Differentiated THP-1 Cells, Kanda N, Watanabe S, 519
Etoposide resistance, melanoma cells, 923
Evidence for Expression of Melanocortin-1 Receptor in Human Sebocytes *In Vitro* and *In Situ*, Böhm M, Schiller M, Ständer S, Seltmann H, Li Z, Brzoska T, Metze D, Schiöth HB, Skottner A, Seiffert K, Zouboulis CC, Luger TA, 533
Evidence for Extensive Locus Heterogeneity in Naxos Disease, *Letter*, Djabali K, Martinez-Mir A, Horev L, Klapholz L, Glaser B, Christiano AM, Zlotogorski A, 559
Evidence for Pseudodominant Inheritance of Atrichia with Papular Lesions, Zlotogorski A, Martinez-Mir A, Green J, Lam H, Panteleyev AA, Sinclair R, Christiano AM., 881
Evolution of Melanocytic Nevi on the Faces and Necks of Adolescents: A 4 y Longitudinal Study, Siskind V, Darlington S, Green L, Green A, 500
Exfoliative toxin B, staphylococcal, 845
Expression and Function of the Mannose Receptor CD206 on Epidermal Dendritic Cells in Inflammatory Skin Diseases, Wollenberg A, Mommaas M, Oppel T, Schottdorf E-M, Günther S, Moderer M, 327

Expression of Stress-induced MHC Class I Related Chain Molecules on Human Melanoma, Vetter CS, Groh V, thor Straten P, Spies T, Bröcker E-B, Becker JC, 600
Expression of T-Cadherin in Basal Keratinocytes of Skin, Zhou S, Matsuyoshi N, Liang S-B, Takeuchi T, Ohtsuki Y, Miyachi Y, 1080
Extracellular matrix (ECM), regulation by TGF-β, 211, 704
An *Ex Vivo* Assay to Assess the Potential of Skin Keratinocytes for Wound Epithelialization, Mazzalupo S, Wawersik MJ, Couloumbe PA, 866

F

Factor XIIIa, 267
Failure to Detect Differences in Proliferation Status of Nevi from CDKN2A Mutation Carriers and Non-Carriers, *Letter*, Florell SR, Boucher KM, Holden JA, Meyer LJ, Samlowski WE, Cannon-Albright LA, Zone JJ, Leachman SA, 386
Famotidine, topical, 255
Fas/Fas ligand, 895
Fas mutations, in mycosis fungoides, 949
Fatty acid binding protein, epidermal-type, 430
Fatty acids
  free, in stratum corneum lipid mixtures, 606
  metabolism in sebaceous gland, 164
  n-3 polyunsaturated, 692
FcεRI
  aggregation inducing NF-κB, 830
  α chain antibodies, 658
Fibroblast growth factor
  basic, 316
  mast cell production, 391
Fibroblasts
  α1β1 integrin, 409
  basal cell carcinoma (BCC1) cells and, 859
  connective tissue growth factor, 402
  in dermal dendritic cell differentiation, 450
  mast cell interactions, 391
  scleroderma, 704
Fibrosis, inhibition by halofuginone, 461
Filaggrin, 282
Flufenamic acid, 540
Flügelzellen, novel keratin (hK6irs1), 789
Fluorescence
  protoporphyrin IX (PpIX), 239
  spectroscopy, topically applied compounds, 295
Focal adhesion kinase, 246
Fogo selvagem, 806
The Founding Members of Xeroderma Pigmentosum Group G Produce XPG Protein with Severely Impaired Endonuclease Activity, Lalle P, Nouspikel T, Constantinou A, Thorel F, Clarkson SG, 344
Foxn1 (Whn), 303
Frameshift Mutation in the V2 Domain of Human Keratin 1 Results in Striate Palmoplantar Keratoderma, Whittock NV, Smith FJ, Wan H, Mallipeddi R, Griffiths WA, Dopping-Hepenstal P, Ashton GH, Eady RA, McLean WHI, McGrath JA, 838
Frequent Abnormalities of the P15 and P16 Genes in Mycosis Fungoides and Sezary Syndrome, Scarisbrick JJ, Woolford AJ, Calonje E, Photiou A, Ferreira S, Orchard G, Russell-Jones R, Whittaker SJ, 493
Functional Expression of AQP3 in Human Skin Epidermis and Reconstructed Epidermis, Sougrat R, Morand M, Gondran C, Barré P, Gobin R, Bonté F, Dumas M, Verbavatz J-M, 678

G

Gap junctions, 110, 530, 724
Gas Chromatography/Mass Spectrometry Characterization of Corticosteroid Metabolism in Human Immortalized Keratinocytes, Slominski A, Wortsman J, Foecking MF, Shackleton C, Gomez-Sanchez C, Szczesniewski A, 310
Gas Chromatography–Mass Spectrometry and Molecular Genetic Studies in Families with the Conradi–Hünermann–Happle Syndrome, Has C, Seedorf U, Kannanberg F, Bruckner-Tuderman L, Folkers E, Fölster-Holst R, Baric I, Traupe H, 851

H

Gelatinases, 55
Gene therapy, 288, 967
GJB6 mutations, 530
Glycosylphosphatidylinositol (GPI) anchors, 998
Grafts, cultured skin substitutes, 565
Granuloma annulare, 957
Griscelli syndrome, 933
Guinea pig
  topical methimazole, 205
  UVB-induced pigmentation, 255
HaCaT keratinocytes, 582
Hailey–Hailey disease, 338, 552
Hailey–Hailey Disease: Molecular and Clinical Characterization of Novel Mutations in the *ATP2C1* Gene, Dobson-Stone C, Fairclough R, Dunne E, Brown J, Dissanayake M, Munro CS, Strachan T, Burge S, Sudbrak R, Monaco AP, Hovnanian A, 338
Hair, woolly *see* Woolly hair
Hair cycle
  CCAAT/enhancer-binding proteins, 17
  TGF-β2 involvement, 993
  vitamin D receptor function, 631
Hair follicles
  CCAAT/enhancer-binding proteins, 17
  keratin-associated proteins, 226
  laminin-1 G-domain peptide actions, 712
  molecular mechanisms regulating development, 216
  novel inner root sheath keratin (hK6irs1), 789
  secondary (nontylotrich), 3
  vitamin D receptor function, 11, 631
Hairless gene mutations, 881, 887
Hairless mouse
  elastase actions, 49
  epidermal vitamin A, 513
  negative electric potential, 65
Halofuginone, 461
Halofuginone, an Inhibitor of Type-I Collagen Synthesis and Skin Sclerosis, Blocks Transforming-Growth-Factor-β-Mediated Smad3 Activation in Fibroblasts, McGaha TL, Phelps RG, Spiera H, Bona C, 461
Hamster
  bullous pemphigoid, 485
  corticotropin releasing factor receptor type 1, 1065
Hand eczema, 719
Hand Eczema in Swedish Adults – Changes in Prevalence between 1983 and 1996, Meding B, Järvholm B, 719
HAS3 (hyaluronan synthase 3) gene, 43
Heart disease, in Naxos disease, 559
Hemangioma, lobular capillary, 519
Hematopoietic progenitor cells, 450
Heparin-binding epidermal growth factor (HB-EGF), 391
Hepatocyte growth factor (HGF), 391
Hepoxilin B_3, 139
Hepoxilin B_3 and its Enzymatically Formed Derivative Trioxilin B_3 are Incorporated into Phospholipids in Psoriatic Lesions, Antón R, Camacho M, Puig L, Vila L, 139
Hfh11 (Whn), 303
High-Frequency Microsatellite Instability is Associated with Defective DNA Mismatch Repair in Human Melanoma, Alvino E, Marra G, Pagani E, Falcinelli S, Pepponi R, Perrera C, Haider R, Castiglia D, Ferranti G, Bonmassar E, Jiricny J, Zambruno G, D'Atri S, 79
High-speed two-photon microscopy, 1085
Histamine
  in cancer immunotherapy, 545
  release by anti-FcεRIα antibodies, 658
  in UVB-induced pigmentation, 255
Histamine is Involved in Ultraviolet B-Induced Pigmentation of Guinea Pig Skin, Yoshida M, Hirotsu S, Nakahara M, Uchiwa H, Tomita Y, 255
hKAP1.6 and hKAP1.7, Two Novel Human High Sulfur Keratin-Associated Proteins are Expressed in the Hair Follicle Cortex, Shimomura Y, Aoki N, Rogers MA, Langbein L, Schweizer J, Ito M, 226
HLA-Cw6, psoriasis susceptibility, 362, 745
HLA-Cw6-Positive and HLA-Cw6-Negative Patients with Psoriasis Vulgaris have Distinctly Different Clinical Features, Guðjónsson JE, Kárason A, Antonsdóttir AA, Rúnarsdóttir EH, Gulcher JR, Stefánsson K, Valdimarsson H, 362

Human β-Defensin-2 Production in Keratinocytes is Regulated by Interleukin-1, Bacteria, and the State of Differentiation, Liu AY, Destoumieux D, Wong AV, Park CH, Valore EV, Liu L, Ganz T, 275
Human Leukocyte Elastase Induces Keratinocyte Proliferation *In Vitro* and *In Vivo*, Rogalski C, Meyer-Hoffert U, Proksch E, Wiedow O, 49
Human papillomavirus
MICA gene polymorphism and, 686
renal transplant recipients, 1026
Human skin
AQP3 expression, 678
β-defensin-2, 275
calcineurin/NFAT, 779
connective tissue growth factor, 402
creatine kinase system, 416
cryosections, 664
deiminated keratin 1, 282
fatty acid metabolism, 164
flufenamic acid penetration, 540
high-speed two-photon microscopy, 1085
photoaging, 618
photoproduct levels, 180
protective properties of tanning, 825
urocanic acid, 893
UVB irradiation, 73, 812
wound healing *ex vivo*, 55
Human Skin Penetration of Flufenamic Acid: *In Vivo/In Vitro* Correlation (Deeper Skin Layers) for Skin Samples from the Same Subject, Wagner H, Kostka K-H, Lehr C-M, Schaefer UF, 540
Huxley cells, novel keratin (hK6irs1), 789
Hyaluronans, 43
Hyaluronan synthase 3 (*HAS3*) gene, 43
Hyaluronan Synthase 3 Regulates Hyaluronan Synthesis in Cultured Human Keratinocytes, Sayo T, Sugiyama Y, Takahashi Y, Ozawa N, Sakai S, Ishikawa O, Tamura M, Inoue S, 43
Hydrogen peroxide, 1008
Hypermethylation, promoter, 941
Hypertrophic scars, α1β1 integrin expression, 409

I

Ichthyosis
congenital, Netherton syndrome, 352, 436
in Conradi–Hünermann–Happle syndrome, 851
IgE receptor, high-affinity *see* FcεRI
Immunologic and Histopathologic Characterization of Active Disease Mouse Model for Pemphigus Vulgaris, Ohyama M, Amagai M, Tsunoda K, Ota T, Koyasu S, Hata J, Umezawa A, Nishikawa T, 199
Immunomodulation by Interleukin-10 Therapy Decreases the Incidence of Relapse and Prolongs the Relapse-free Interval in Psoriasis, Friedrich M, Döcke W-D, Klein A, Philipp S, Volk H-D, Sterry W, Asadullah K, 672
Immunophilin, 779
Immunoreceptor tyrosine-based inhibitory motif (ITIM), 261
Immunosuppression, UVA augmentation of UVB-induced, 1032
Immunotherapy
histamine in cancer, 545
interleukin-10, in psoriasis, 672
Impaired Neurogenic Control of Skin Perfusion in Erythromelalgia, Mørk C, Kalgaard OM, Kvernebo K, 699
Impetigo, bullous, 845
Inactivation of Tumor Suppressor Genes $p15^{INK4b}$ and $p16^{INK4a}$ in Primary Cutaneous B Cell Lymphoma, Child FJ, Scarisbrick JJ, Calonje E, Orchard G, Russell-Jones R, Whittaker SJ, 941
Incidence and Risk Factors Associated with a Second Squamous Cell Carcinoma or Basal Cell Carcinoma in Psoralen + Ultraviolet A Light-treated Psoriasis Patients, Katz KA, Marcil I, Stern RS, 1038
Increased Expression of Endothelial Cell Adhesion Molecules Due to Mediator Release from Human Foreskin Mast Cells Stimulated by Autoantibodies in Chronic Urticaria Sera, Lee KH, Kim JY, Kang D-S, Choi YJ, Lee W-J, Ro JY, 658
Increased Macrophage Migration Inhibitory Factor (MIF) in the Sera of Patients with Extensive Alopecia Areata, *Letter*, Shimizu T, Nishihira J, Mizue Y, Abe R, Watanabe H, Shimizu H, 557
Increased Mortality Rate and Not Impaired Ribosomal Biogenesis is Responsible for Proliferative Defect in Dyskeratosis Congenita Cell Lines, Montanaro L, Chillà A, Trerè D, Pession A, Govoni M, Tazzari PL, Derenzini M, 193
Increase of Pro-opiomelanocortin mRNA Prior to Tyrosinase, Tyrosinase-Related Protein 1, Dopachrome Tautomerase, Pmel-17/gp100, and P-Protein mRNA in Human Skin After Ultraviolet B Irradiation, Suzuki I, Kato T, Motokawa T, Tomita Y, Nakamura E, Katagiri T, 73
Inducible Nitric Oxide Synthase is Expressed in Normal Human Melanocytes but Not in Melanoma Cells in Response to Tumor Necrosis Factor-α, Interferon-γ, and Lipopolysaccharide, Fecker LF, Eberle J, Orfanos CE, Geilen CC, 1019
Infection of Human Oral Epithelia with *Candida* Species Induces Cytokine Expression Correlated to the Degree of Virulence, Schaller M, Mailhammer R, Grassl G, Sander CA, Hube B, Korting HC, 652
Infection with Influenza A Virus Leads to Flu Antigen-Induced Cutaneous Anaphylaxis in Mice, Grunewald SM, Hahn C, Wohlleben G, Teufel M, Major T, Moll H, Bröcker E-B, Erb KJ, 645
Inflammation
Aspergillus fumigatus-induced, 424
peroxisome proliferator activated receptor-α agonists and, 94
stratum corneum chymotryptic enzyme, 444
Inflammatory bowel disease, 1059
Inflammatory skin disease, mannose receptor (CD206), 327
Influenza A virus, 645
Infrequent Fas Mutations But No Bax or p53 Mutations in Early Mycosis Fungoides: A Possible Mechanism for the Accumulation of Malignant T Lymphocytes in the Skin, Dereure O, Levi E, Vonderheid EC, Kadin ME, 949
Inhibition of Hair Follicle Growth by a Laminin-1 G-Domain Peptide, RKRLQVQLSIRT, in an Organ Culture of Isolated Vibrissa Rudiment, Hayashi K, Mochizuki M, Nomizu M, Uchinuma E, Yamashina S, Kadoya Y, 712
Inner root sheath, novel keratin (hK6irs1), 789
Integrin, α1β1, in keloids/hypertrophic scars, 409
Interferon-γ
hyaluronan synthesis and, 43
nitric oxide synthase induction, 1019
Interleukin-1α
eicosapentaenoic acid and, 692
regulation of β-defensin-2, 275
Interleukin-1β
polymorphisms in psoriasis, 155
regulation of β-defensin-2, 275
Interleukin-1 receptor antagonist allele 2, 335
Interleukin-1 Receptor Antagonist Allele 2 and Familial Alopecia Areata, Barahamani N, de Andrade M, Slusser J, Zhang Q, Duvic M, 335
Interleukin-2
in cutaneous T cell lymphoma, 366
in granuloma annulare, 957
Interleukin-4-overexpressing transgenic mice, 767
Interleukin-6
eicosapentaenoic acid and, 692
gene, intradermal injection, 967
Interleukin-8 (CXCL8)
α-melanocyte-stimulating hormone and, 533
in melanoma, 915
in oral *Candida* infections, 652
Interleukin-10 therapy, in psoriasis, 672
Interleukin-12, in cutaneous T cell lymphoma, 366
Intradermal injection, plasmid DNA, 967
Invasiveness
membrane type 1 matrix metalloproteinase and, 573
stromelysin-1 activation and, 759
In vivo/in vitro correlation, flufenamic acid penetration, 540
Involvement of Transforming Growth Factor-β2 in Catagen Induction During the Human Hair Cycle, Soma T, Tsui Y, Hibino T, 993
Ion gradient, epidermal, 65
Irritant contact dermatitis, peroxisome proliferator activated receptor-α agonists, 94
Isolation (From a Basal Cell Carcinoma) of a Functionally Distinct Fibroblast-Like Cell Type that Overexpresses *Ptch*, Dicker AJ, Serewko MM, Russell T, Rothnagel JA, Strutton GM, Dahler AL, Saunders NA, 859
Itch, stratum corneum chymotryptic enzyme and, 444

K

Keloids, α1β1 integrin expression, 409

Keratin
1 (K1)
deimination, 282
V2 domain mutation, 838
14, revertant mosaicism, 626
17 (K17) mutation, 547
novel type II (hK6irs1), 789
Keratin-associated proteins, hKAP1.6 and hKAP1.7, 226
Keratinocytes
AQP3 expression, 678
ascorbic acid actions, 372, 565
β-defensin-2, 275
calcineurin/NFAT, 779
connective tissue growth factor, 402
cornification, 282
corticosteroid metabolism, 310
eicosapentaenoic acid actions, 692
elastase actions, 49
epithelial sodium channel (ENaC), 589
glycosylphosphatidylinositol-anchored proteins, 998
hyaluronan synthesis, 43
IL-4 overexpressing mice, 767
lipid rafts, 582
loricrin backup system, 102
membrane type 1 matrix metalloproteinase, 573
monoclonal antibody production, 288
oxidative stress, 1008
oxysterol actions, 25
p63 splice variants, 133
plasmid DNA expression, 967
stem cells, 110
T-cadherin, 1080
in topical antisense therapy, 1003
UVB-induced G1 arrest, 818
Whn pathway, 303
in wound healing, 55, 866
Keratitis–ichthyosis–deafness syndrome, 724
KIT, 471

L

Lack of the Vitamin D Receptor is Associated with Reduced Epidermal Differentiation and Hair Follicle Growth, Xie Z, Komuves L, Yu QC, Elalieh H, Ng DC, Leary C, Yoshizawa T, Kato S, Bikle DD, 11
Lamellar body secretion, epidermal, 65
Laminin-1 G-domain peptide, 712
Langerhans cells
in IL-4 overexpressing mice, 767
migration, 117, 812
Laser Doppler flowmetry, 699
Lectin receptor, C-type, 261
Lef-1, 3
Leiomyomas, multiple cutaneous and uterine, 876
Leukocyte rolling, skin venules, 323
Leukotriene B_4, 424
Linkage analysis
multiple cutaneous and uterine leiomyomas, 876
psoriasis susceptibility gene, 745
Linoleic acid, 94, 164
Lipids
peroxidation, 513, 1008
phase behaviour, 606
rafts, keratinocyte, 582
Lipopolysaccharide, nitric oxide synthase induction, 1019
Liver X receptor-β, 25
Lobular capillary hemangioma, 519
Localization of Calcineurin/NFAT in Human Skin and Psoriasis and Inhibition of Calcineurin/NFAT Activation in Human Keratinocytes by Cyclosporin A, Al-Daraji WI, Grant KR, Ryan K, Saxton A, Reynolds NJ, 779
Loricrin knockout mice, 102
Loss of heterozygosity, 941
Lymphocytes
melanoma-infiltrating, 600
rolling in skin venules, 323
see also T lymphocytes
Lymphoma
cutaneous T cell, 366, 493, 895, 949
primary cutaneous B cell, 941

M

Macrophage colony-stimulating factor, 450
Macrophage migration inhibitory factor (MIF), 557
Maculae occludentes, 1073
Magnesium ion gradient, epidermal, 65
The Majority of Keratinocytes Incorporate Intradermally Injected Plasmid DNA Regardless of Size but Only a Small Proportion of Cells Can Express the Gene Product, Sawamura D, Yasukawa K, Kodama K, Yokota K, Sato-Matsumura KC, Toshihiro T, Shimizu H, 967
Malassezia furfur, 1044
Malignant acanthosis nigricans (MAN), 891
Mannose receptor (CD206), 327
MART-1-reactive T cells, 589
Mass spectrometry, 310, 851
Mast Cell-Fibroblast Interactions: Human Mast Cells as Source and Inducers of Fibroblast and Epithelial Growth Factors, Artuc M, Steckelings UM, Henz BM, 391
Mast cells
chronic urticaria, 658
fibroblast interactions, 391
flu virus-specific responses, 645
in IL-4 overexpressing mice, 767
in UVB-induced immunosuppression, 396
Matrigel invasion, 759
Matrilysin, 759
Matrix Metalloproteinase Inhibitor BB-3103 Unlike the Serine Proteinase Inhibitor Aprotinin Abrogates Epidermal Healing of Human Skin Wounds *Ex Vivo*, Mirastschijski U, Impola U, Karsdal MA, Saarialho-Kere U, Ågren MS, 55
Matrix metalloproteinases
membrane type 1, 573
squamous cell carcinoma invasiveness and, 759
in wound healing, 55
Melanocortin-1 receptor, 533
Melanocytes
all-*trans* retinoic acid actions, 35
inducible nitric oxide synthase, 1019
mitogen- and UVB-induced signaling, 316
TGF-α1-mediated regulation, 471
zyxin expression, 246
α-Melanocyte-stimulating hormone, 533
Melanocytic nevi
in CDKN2A mutation carriers, 386
evolution in adolescents, 500
photoproduct levels, 180
Melanogenesis
protective properties, 825
role of histamine, 255
see also Tanning
Melanoma
bcl-2 and bcl-xL antisense therapy, 505
chemokines, 915
etoposide and cisplatin resistance, 923
histamine in immunotherapy, 545
inducible nitric oxide synthase, 1019
MART-1-reactive T cells, 589
MHC class I related chain (MIC) molecules, 600
microsatellite instability, 79
risk markers, 180
tyrosinase gene expression, 126
zyxin expression, 246
Melanosomes, Rab27b, 933
α-Melanotropin, 316
Membrane Type 1 Matrix Metalloproteinase Regulates Cellular Invasiveness and Survival in Cutaneous Epidermal Cells, Nagavarapu U, Relloma K, Herron GS, 573
Metabolic Fate and Selective Utilization of Major Fatty Acids in Human Sebaceous Gland, Pappas A, Anthonavage M, Gordon JS, 164
Metastasis, role of chemokines, 915

Methimazole, topical, 205
MHC class I chain related proteins (MIC)
A (MICA) gene polymorphism, 686
stress-inducible, 600
MICA Gene Polymorphism is Not Associated With an Increased Risk for Skin Cancer, Kennedy C, Naipal A, Gruis NA, Struijk L, ter Schegget J, Willemze R, Claas FHJ, Bouwes Bavinck JN, Doxiadis IIN, 686
Microphthalmia-associated transcription factor, 35
Microsatellite instability, in melanoma, 79
Microscopy, high-speed two-photon, 1085
Microvasculature, cutaneous
aging and survival, 752
perfusion in erythromelalgia, 699
in UVB-induced photo-damage, 800
Migration, Langerhans cells, 117, 812
Mitogen-activated protein (MAP) kinases, 303, 316, 704
Mitogen- and Ultraviolet-B-Induced Signaling Pathways in Normal Human Melanocytes, Tada A, Pereira E, Beitner-Johnson D, Kavanagh R, Abdel-Malek ZA, 316
Modulation of BMP Signaling by *Noggin* is Required for Induction of the Secondary (Nontylotrich) Hair Follicles, Botchkarev VA, Botchkareva NV, Sharov AA, Funa K, Huber O, Gilchrest BA, 3
Molecular Architecture of Tight Junctions of Periderm Differs From That of the Maculae Occludentes of Epidermis, Morita K, Furuse M, Yoshida Y, Itoh M, Sasaki H, Tsukita S, Miyachi Y, 1073
Molecular Mechanisms Regulating Hair Follicle Development, Millar SE, 216
Monoclonal antibodies, ectopic production, 288
Monocytes
dermal dendrocytes derived from, 267
FcεRI aggregation, 830
rolling in skin venules, 323
Mosaicism, partial revertant, 626
Mouse
alopecia areata model, 983
chronic granulomatous disease model, 424
contact dermatitis, 94
creatine kinase system, 416
cultured skin substitute grafts, 565
cutaneous anaphylaxis, 645
dendritic cell immunoreceptor (DCIR), 261
epidermal-type fatty acid binding protein-deficient, 430
epithelial sodium channel (ENaC)-deficient, 589
glycosylphosphatidylinositol-anchored proteins, 998
hair follicles, 3, 11, 17
hairless *see* Hairless mouse
liver X receptor-β, 25
loricrin knockout, 102
melanocyte precursors, 35
migrating Langerhans cells, 117
neural crest cells, 471
pemphigus vulgaris model, 199
stratum corneum chymotryptic enzyme overexpressing, 444
T-cadherin, 1080
tight junctions and maculae occludentes, 1073
tight skin (TSK), 461
transgenic *see* Transgenic mice
UVB-induced immunosuppression, 396
vibrissa rudiment organ culture, 712
vitamin D receptor-deficient, 631
wound healing models, 866
Multiple cutaneous and uterine leiomyomas, 876
Multiple Cutaneous and Uterine Leiomyomas: Refinement of the Genetic Locus for Multiple Cutaneous and Uterine Leiomyomas on Chromosome 1q42.3–43, Martinez-Mir A, Gordon D, Horev L, Klapholz L, Ott J, Christiano AM, Zlotogorski A, 876
Mutations
ATP2C1, 338, 552
BP180/collagen XVII, 185
CDKN2A, 386
collagen type VII, 549
connexin 26, 724
connexin 30, 530
desmoplakin compound heterozygous, 232
Fas, 949
hairless gene, 881, 887
keratin 1 (K1), 838
keratin 17, 547
plectin, 87
PTEN, 639
SPINK5, 352, 436
XPG, 344, 972
Mycosis fungoides, 493, 895, 949
Myosin Va, 933

N

NADPH oxidase, 424
Natural killer (NK) cells, melanoma-infiltrating, 600
Naxos disease, 559
NCC-melb4 cells, 35
Negative Electric Potential Induces Alteration of Ion Gradient and Lamellar Body Secretion in the Epidermis, and Accelerates Skin Barrier Recovery After Barrier Disruption, Denda M, Kumazawa N, 65
Nerve growth factor, 396
Nerve Growth Factor, Neuropeptides, and Mast Cells in Ultraviolet-B-Induced Systemic Suppression of Contact Hypersensitivity Responses in Mice, Townley SL, Grimbaldeston MA, Ferguson I, Rush RA, Zhang S-H, Zhou X-F, Conner JM, Finlay-Jones JJ, Hart PH, 396
Netherton syndrome, 352, 436
Netherton Syndrome: Disease Expression and Spectrum of *SPINK5* Mutations in 21 Families, Bitoun E, Chavanas S, Irvine AD, Lonie L, Bodemer C, Paradisi M, Hamel-Teillac D, Ansai S, Mitsuhashi Y, Taïeb A, de Prost Y, Zambruno G, Harper JI, Hovnanian A, 352
Neural crest cells, 471
Neurogenic reflexes, in erythromelalgia, 699
Neurologic degeneration, in xeroderma pigmentosum group G, 972
Neuropeptides, in UVB-induced immunosuppression, 396
Nevi, melanocytic *see* Melanocytic nevi
NFAT, 779
NF-κB, 380, 830
Nickel, 172, 1032, 1052
Nickel-Specific CD4$^+$ and CD8$^+$ T Cells Display Distinct Migratory Responses to Chemokines Produced During Allergic Contact Dermatitis, Sebastiani S, Albanesi C, Nasorri F, Girolomoni G, Cavani A, 1052
Nitric oxide synthase, inducible, 1019
NKG2D receptors, melanoma infiltrating lymphocytes, 600
NKG2 receptors, MART-1-reactive T cells, 589
Noggin, 3
Non-Invasive Method for Quantitative Evaluation of Exogenous Compound Deposition on Skin, Stamatas GN, Wu J, Kollias N, 295
A Novel Connexin 26 Mutation in a Patient Diagnosed with Keratitis–Ichthyosis–Deafness Syndrome, van Steensel MAM, van Geel M, Nahuys M, Smitt JHS, Steijlen PM, 724
A Novel Connexin 30 Mutation in Clouston Syndrome, Smith FJD, Morley SM, McLean WHI, 530
A Novel Epithelial Keratin, hK6irs1, is Expressed Differentially in All Layers of the Inner Root Sheath, Including Specialized Huxley Cells (*Flügelzellen*) of the Human Hair Follicle, Langbein L, Rogers MA, Praetzel S, Aoki N, Winter H, Schweizer J, 789
A Novel Point Mutation in the Keratin 17 Gene in a Japanese Case of Pachyonychia Congenita Type 2, *Letter*, Hashiguchi T, Yotsumoto S, Shimada H, Terasaki K, Setoyama M, Kobayashi K, Saheki T, Kanzaki T, 547
Nuclear factor of activated T cells (NFAT), 779
Nuclear transcription factor κB (NF-κB), 380, 830
Nucleotide excision repair, 344
Nude gene, 303

O

Occludin, 1073
Occupational skin disease, 719
Oleic acid, 1085
Oral infections, *Candida* species, 652
Organ culture, vibrissa rudiment, 712
Overexpression of IL-4 Alters the Homeostasis in the Skin, Elbe-Bürger A, Egyed A, Olt S, Klubal R, Mann U, Rappersberger K, Rot A, Stingl G, 767

Overexpression of Serpin Squamous Cell Carcinoma Antigens in Psoriatic Skin, Takeda A, Higuchi D, Takahashi T, Ogo M, Baciu P, Goetinck PF, Hibino T, 147
Oxidative stress
cumene hydroperoxide induced, 1008
lipid rafts and, 582
in photoaging, 618
vitamin A depletion, 513
Oxidative Stress-Independent Depletion of Epidermal Vitamin A by UVA, Sorg O, Tran C, Carraux P, Didierjean L, Falson F, Saurat J-H, 513
Oxysterols, 25
Oxysterol Stimulation of Epidermal Differentiation is Mediated by Liver X Receptor-β in Murine Epidermis, Kömüves LG, Schmuth M, Fowler AJ, Elias PM, Hanley K, Man M-Q, Moser AH, Lobaccaro J-MA, Williams ML, Mangelsdorf DJ, Feingold KR, 25

P

P15 and P16 gene abnormalities, 493
$p15^{INK4b}$, in primary cutaneous B cell lymphoma, 941
$p16^{INK4a}$, in primary cutaneous B cell lymphoma, 941
p38 MAPK, 704
p53
polymorphism, renal transplant recipients, 1026
tyrosinase gene regulation, 126
UVB-induced G1 arrest and, 818
p63 isotypes, 133
Pachyonychia congenita type 2, 547
Palmoplantar keratoderma
in Naxos disease, 559
striate, 838
Partial Revertant Mosaicism of Keratin 14 in a Patient with Recessive Epidermolysis Bullosa Simplex, Schuilenga-Hut PHL, Scheffer H, Pas HH, Nijenhuis M, Buys CHCM, Jonkman MF, 626
Paxillin, 246
Pemphigus
familial benign chronic (Hailey–Hailey disease), 338, 552
foliaceus, subset with desmoglein-1 and –3 autoantibodies, 806
unusual phenotype, 553
vulgaris, mouse model, 199
Periderm, tight junctions, 1073
Peripheral blood mononuclear cells, in atopic dermatitis, 1044
Peroxides, organic, 1008
Peroxisome proliferator activated receptor-α agonists, 94
Phase Behaviour of Stratum Corneum Lipid Mixtures Based on Human Ceramides: The Role of Natural and Synthetic Ceramide 1, Bouwstra JA, Gooris GS, Dubbelaar FER, Ponec M, 606
Phosphatidylserine, oxidation and translocation, 1008
Phospholipids, in psoriasis, 139
Photoaging, 618, 800
Photoaging is Associated with Protein Oxidation in Human Skin *In Vivo*, Sander CS, Chang H, Salzmann S, Müller CSL, Ekanayake-Mudiyanselage S, Elsner P, Thiele JJ, 618
Photodamage
protective properties of tanning, 825
role of angiogenesis, 800
see also DNA damage, UV-induced
Photodynamic therapy, 5-aminolevulinic acid, 239
Photoproducts
induction and repair, 893
in melanocytic nevi, 180
Pig, transepidermal water loss, 871
Pig-a gene, 998
Pigmentation
UVB-induced, role of histamine, 255
see also Melanogenesis; Tanning
Plasma membrane domains, cholesterol-rich (lipid rafts), 582
Plasmid DNA, intradermal injection, 967
Plectin mutation, 87
Pmel-17/gp100, 73
Polymorphonuclear leukocytes, rolling in skin venules, 323
Polyunsaturated fatty acids, 692
Positive Atopy Patch Test Reaction to *Malassezia furfur* in Atopic Dermatitis Correlates with a T Helper 2-like Peripheral Blood Mononuclear Cells Response, Johansson C, Eshaghi H, Linder MT, Jakobson E, Scheynius A, 1044
PpIX Fluorescence Kinetics and Increased Skin Damage after Intracutaneous Injection of 5-Aminolevulinic Acid and Repeated Illumination, Thissen MR, de Blois MW, Robinson DJ, de Bruijn HS, Dutrieux RP, Star WM, Neumann HAM, 239
P-protein, 73
Progesterone, metabolism in keratinocytes, 310
Promoter hypermethylation, 941
Promoter Polymorphisms of the Genes Encoding Tumor Necrosis Factor-α and Interleukin-1β are Associated with Different Subtypes of Psoriasis Characterized by Early and Late Disease Onset, Reich K, Mössner R, König IR, Westphal G, Ziegler A, Neumann C, 155
Pro-opiomelanocortin, 73
Prostaglandin E_2, eicosapentaenoic acid and, 692
Protease inhibitors, in psoriasis, 147
Proteinase-activated receptor 2 (PAR-2), 380
Protein kinase C, 35, 372
Protein oxidation, in photoaging, 618
Protoporphyrin IX (PpIX), 239
Pseudodominant inheritance, atrichia with papular lesions, 881
Psoralen + ultraviolet A therapy (PUVA), 1038
Psoriasis
antisense therapy, 1003
calcineurin/NFAT, 779
creatine kinase system, 416
cytokine polymorphisms, 155
hepoxilin B_3 and trioxilin B_3, 139
HLA-Cw6-positive and negative patients, 362
interleukin-10 therapy, 672
mannose receptor (CD206), 327
MHC susceptibility gene (*PSOR1*), 745
psoralen + ultraviolet A therapy, 1038
role of elastase, 49
squamous cell carcinoma antigens, 147
Ptch genes, 859
PTEN mutations, 639
PTEN Mutations in Eight Spanish Families and One Brazilian Family with Cowden Syndrome, Bussaglia E, Pujol RM, Gil MJ, Martí RM, Tuneu A, Febrer MI, Garcia-Patos V, Martinez Ruiz E, Barnadas M, Alegre M, Serrano S, Matias-Guiu X, 639

Q

Quasi-Normal Cornified Cell Envelopes in Loricrin Knockout Mice Imply the Existence of a Loricrin Backup System, Jarnik M, de Viragh PA, Schärer E, Bundman D, Simon MN, Roop DR, Steven AC, 102

R

Rab27b, dominant negative mutants, 933
Rab27b Association with Melanosomes: Dominant Negative Mutants Disrupt Melanosomal Movement, Chen Y, Samaraweera P, Sun T-T, Kreibich G, Orlow SJ, 933
Rapid Compensation for Glycosylphosphatidylinositol Anchor Deficient Keratinocytes after Birth: Visualization of Glycosylphosphatidylinositol-Anchored Proteins *in situ*, Gao X-H, Kondoh G, Tarutani M, Hara M, Inoue S, Nakanishi T, Okabe M, Yamaguchi Y, Yoshikawa K, Itami S, Takeda J, 998
Rat skin venules, leukocyte rolling, 323
Reactive oxygen species, 582, 1008
see also Oxidative stress
Relationship of Neurologic Degeneration to Genotype in Three Xeroderma Pigmentosum Group G Patients, Emmert S, Slor H, Busch DB, Batko S, Albert RB, Coleman D, Khan SG, Abu-Libdeh B, DiGiovanna JJ, Cunningham BB, Lee M-M, Crollick J, Inui H, Ueda T, Hedayati M, Grossman L, Shahlevi T, Cleaver JE, Kraemer KH, 972
Renal transplant recipients, skin tumors, 1026
Repeated Ultraviolet Exposure Affords the Same Protection Against DNA Photodamage and Erythema in Human Skin Types II and IV but is Associated with Faster DNA Repair in Skin Type IV, Sheehan JM, Cragg N, Chadwick CA, Potten CS, Young AR, 825
all-*trans*-Retinoic acid, 35, 133

Retinoic Acid Inhibits Downregulation of ΔNp63α Expression During Terminal Differentiation of Human Primary Keratinocytes, Bamberger C, Pollet D, Schmale H, 133
Ribosomal biogenesis, in dyskeratosis congenita, 193
RKRLQVQLSIRT peptide, 712
The Role of Chemokines in Melanoma Tumor Growth and Metastasis, Payne AS, Cornelius LA, 915
Role of the *Nude* Gene in Epithelial Terminal Differentiation, Baxter RM, Brissette JL, 303
Role of p38 MAPK in Transforming Growth Factor β Stimulation of Collagen Production by Scleroderma and Healthy Dermal Fibroblasts, Sato M, Shegogue D, Gore EA, Smith EA, Mcdermott PJ, Trojanowska M, 704
Role of Zyxin in Differential Cell Spreading and Proliferation of Melanoma Cells and Melanocytes, van der Gaag EJ, Leccia M-T, Dekker SK, Jalbert NL, Amodeo DM, Byers HR, 246

S

Saarbruecken penetration model, 540
Salicylic acid, topical, 295
Scleroderma
  fibroblasts, TGF-β stimulation, 704
  mouse model, 461
Searching for the Major Histocompatibility Complex Psoriasis Susceptibility Gene, Capon F, Munro M, Barker J, Trembath R, 745
Sebaceous gland, fatty acid metabolism, 164
Sebocytes, melanocortin-1 receptor, 533
Selective Peroxidation and Externalization of Phosphatidylserine in Normal Human Epidermal Keratinocytes During Oxidative Stress Induced by Cumene Hydroperoxide, Shvedova AA, Tyurina YY, Kawai K, Tyurin VA, Kommineni C, Castronova V, Fabisiak JP, Kagan VE, 1008
Sequential Reorganization of Cornified Cell Keratin Filaments Involving Filaggrin-Mediated Compaction and Keratin 1 Deimination, Ishida-Yamamoto A, Senshu T, Eady RAJ, Takahashi H, Shimizu H, Akiyama M, Iizuka H, 282
Serine protease inhibitor Kazal-type 5 (SPINK5) protein, 352, 436
Serine proteases
  stratum corneum chymotryptic enzyme, 444
  in wound healing, 55
Serpins, in psoriasis, 147
Sézary syndrome, 493, 895
Similar Serum Levels of Soluble Forms of Fas and Fas Ligand in Cutaneous T Cell Lymphoma and Benign Lymphocyte-Mediated Dermatoses: Relevancy for Defective Apoptosis Hypothesis, *Letter*, Dereure O, Llanos F, Portales P, Clot J, Guilhou J-J, 895
Single gel phase model, stratum corneum, 897, 899
A Site-Specific Plectin Mutation Causes Dominant Epidermolysis Bullosa Simplex Ogna: Two Identical *De Novo* Mutations, Koss-Harnes D, Hoyheim B, Anton-Lamprecht I, Gjesti A, Jørgensen RS, Jahnsen FL, Olaisen B, Wiche G, Gedde-Dahl T, 87
Skin cancer
  5-aminolevulinic acid photodynamic therapy, 239
  MICA gene polymorphism and risk, 686
  in PUVA-treated psoriasis, 1038
  renal transplant recipients, 1026
  see also Basal cell carcinoma; Melanoma; Squamous cell carcinoma
Skin fragility/woolly hair syndrome, 232
Skin as a Potential Organ for Ectopic Monoclonal Antibody Production, Noël D, Dazard J-E, Pelegrin M, Jacquet C, Piechaczyk M, 288
Skin substitutes, cultured, 565
Smad signaling pathway, 211, 461
Sodium channel, epithelial (ENaC), 589
Spectrofluorimetry, topically applied compounds, 295
SPINK5 mutations, 352, 436
Squamous cell carcinoma
  MICA gene polymorphism and risk, 686
  in PUVA-treated psoriasis, 1038
  renal transplant recipients, 1026
  stromelysin-1 activation, 759
Squamous cell carcinoma antigens (SCCA), in psoriasis, 147
Staphylococcal Exfoliative Toxin B Specifically Cleaves Desmoglein 1, Amagai M, Yamaguchi T, Hanakawa Y, Nishifuji K, Sugai M, Stanley JR, 845
Staphylococcal scalded skin syndrome (SSSS), 845
Stem cell factor, 471
Stem cells, epidermal, 110
Sterol isomerase defects, 851
Stratum corneum
  chymotryptic enzyme, 444
  in Netherton syndrome, 436
  phase behaviour of lipids, 606
  single gel phase model, 897, 899
Stress-inducible MHC class I related chain (MIC) molecules, 600
Striate palmoplantar keratoderma, 838
Stromelysin-1 Activation Correlates with Invasiveness in Squamous Cell Carcinoma, De Angelis T, Noè A, Chatterjee M, Mulholland J, 759
A Subset of Pemphigus Foliaceus Patients Exhibits Pathogenic Autoantibodies Against Both Desmoglein-1 and Desmoglein-3, Arteaga LA, Prisayanh PS, Warren SJP, Liu Z, Diaz LA, Lin M-S, Cooperative Group on Fogo Selvagem Research, 806
Sulfur mustard, 871
Superoxide dismutase, in photoaged skin, 618
Swedish adults, hand eczema prevalence, 719
Sympathetic function, in erythromelalgia, 699
Syndecan-1, 712
Synergistic Enhancement of Cell-mediated Immunity by Interleukin-12 Plus Interleukin-2: Basis for Therapy of Cutaneous T Cell Lymphoma, Zaki MH, Wysocka M, Everetts SE, Wang KS, French LE, Ritz J, Rook AH, 366
Systemic sclerosis *see* Scleroderma

T

Tacrolimus, 779
Tanning
  p53 activation, 126
  photoprotective properties, 825
  pro-opiomelanocortin mRNA and, 73
  see also Melanogenesis
Targeted Expression of Human Vitamin D Receptor in the Skin Promotes the Initiation of the Postnatal Hair Follicle Cycle and Rescues the Alopecia in Vitamin D Receptor Null Mice, Kong J, Li XJ, Gavin D, Jiang Y, Li YC, 631
Targeted Overexpression of the Angiogenesis Inhibitor Thrombospondin-1 in the Epidermis of Transgenic Mice Prevents Ultraviolet-B-Induced Angiogenesis and Cutaneous Photo-Damage, Yano K, Oura H, Detmar M, 800
T-cadherin, 1080
T-Cell Receptor Repertoire and Cytokine Pattern in Granuloma Annulare: Defining a Particular Type of Cutaneous Granulomatous Inflammation, Mempel M, Musette P, Flageul B, Schnopp C, Remling R, Gachelin G, Kourilsky P, Ring J, Abeck D, 957
T-cell receptors (TCR), in granuloma annulare, 957
Telomerase, endothelial cell survival and, 752
T helper 1 response, oral *Candida* infections, 652
T helper 2 response, atopic dermatitis, 1044
THP-1 monocytic cells, 519
Thrombospondin-1, epidermal overexpression, 800
Thymine dimers, in tanned human skin, 825
Tight junctions, 1073
Tight skin mouse (TSK) model, 461
Tissue inhibitors of metalloproteinases (TIMP), 759
T lymphocytes
  $CD4^+/CD25^+$, in alopecia areata, 983
  drug-specific cytotoxic, 728
  malignant, skin homing, 949
  MART-1-reactive, 589
  melanoma-infiltrating, 600
  nickel-specific, 172, 1052
  see also $CD4^+$ T lymphocytes
  α-Tocopherol, 513
Topical administration
  antisense oligonucleotides, 1003
  in vivo/in vitro correlation, 540
  peroxisome proliferator activated receptor-α agonists, 94
  quantitative evaluation, 295
Topical Peroxisome Proliferator Activated Receptor-α Activators Reduce Inflammation in Irritant and Allergic Contact Dermatitis Models, Sheu MY, Fowler AJ, Kao J, Schmuth M, Schoonjans K, Auwerx J, Fluhr JW, Man M-Q, Elias PM, Feingold KR, 94

Topographic Heterogeneity in Transdermal Transport Revealed by High-Speed Two-Photon Microscopy: Determination of Representative Skin Sample Sizes, Yu B, Kim KH, So PTC, Blankschtein D, Langer R, 1085
Toxic epidermal necrolysis, 728
TP53 Polymorphism of Exon 4 at Codon 72 in Cutaneous Squamous Cell Carcinoma and Benign Epithelial Lesions of Renal Transplant Recipients and Immunocompetent Individuals: Lack of Correlation with Human Papillomavirus Status, Cairey-Remonnay S, Humbey O, Mougin C, Algros MP, Mauny F, Kanitakis J, Euvrard S, Laurent R, Aubin F, 1026
Transdermal transport, topographic heterogeneity, 1085
Transepidermal Water Loss Does Not Correlate with Skin Barrier Function *In Vitro*, Chilcott RP, Dalton CH, Emmanuel AJ, Allen CE, Bradley ST, 871
Transforming growth factor-α (TGF-α), in malignant acanthosis nigricans, 891
Transforming growth factor-β (TGF-β)
  connective tissue growth factor induction, 402
  halofuginone actions, 461
  in human hair cycle, 993
  hyaluronan synthesis and, 43
  melanocyte regulation, 471
  in scleroderma fibroblasts, 704
  Smad pathway signaling, 211
Transforming Growth Factor-β Signaling Through the Smad Pathway: Role in Extracellular Matrix Gene Expression and Regulation, Verrecchia F, Mauviel A, 211
Transforming Growth Factor β1 Regulates Melanocyte Proliferation and Differentiation in Mouse Neural Crest Cells Via Stem Cell Factor/KIT Signaling, Kawakami T, Soma Y, Kawa Y, Ito M, Yamasaki E, Watabe H, Hosaka E, Yajima K, Ohsumi K, Mizoguchi M, 471
Transgenic mice
  epidermal thrombospondin-1 overexpressing, 800
  IL-4 overexpressing, 767
  wound healing models, 866
Transglutaminase, plasma, 267
Transient CD44 Variant Isoform Expression and Reduction in $CD4^+/CD25^+$ Regulatory T Cells in C3H/HeJ Mice with Alopecia Areata, Zöller M, McElwee KJ, Engel P, Hoffmann R, 983
Trioxilin B_3, 139
Tumor necrosis factor-α (TNF-α)
  eicosapentaenoic acid and, 692
  nitric oxide synthase induction, 1019
  polymorphisms in psoriasis, 155
Tumor progression, role of chemokines, 915
Two-photon microscopy, high-speed, 1085
Type XVI Collagen is Expressed in Factor $XIIIa^+$ Monocyte-Derived Dermal Dendrocytes and Constitutes a Potential Substrate for Factor XIIIa, Akagi A, Tajima S, Ishibashi A, Matsubara Y, Takehana M, Kobayashi S, Yamaguchi N, 267
Tyrosinase, 73, 126
Tyrosinase Gene Expression is Regulated by p53, Khlgatian MK, Hadshiew IM, Asawanonda P, Yaar M, Eller MS, Fujita M, Norris DA, Gilchrest BA, 126
Tyrosinase-related protein 1, 73, 933

U

Ultraviolet A (UVA)
  augmentation of UVB-induced immunosuppression, 1032
  -induced oxidative stress, 582
  plus psoralen (PUVA) therapy, 1038
  vitamin A depletion, 513
Ultraviolet A Augments Solar-Simulated Ultraviolet Radiation-Induced Local Suppression of Recall Responses in Humans, Kuchel JM, Barnetson RStC, Halliday GM, 1032
Ultraviolet B (UVB)
  -induced angiogenesis, 800
  -induced cytokine/prostaglandin release, 692
  -induced disappearance of Langerhans cells, 812
  -induced G1 arrest, 818
  -induced immunosuppression, augmentation by UVA, 1032
  -induced pigmentation in guinea pigs, 255
  -induced pro-opiomelanocortin increase, 73
  -induced signaling in melanocytes, 316
  -induced suppression of contact hypersensitivity, 396
Ultraviolet-B-Induced G1 Arrest is Mediated by Downregulation of Cyclin-Dependent Kinase 4 in Transformed Keratinocytes Lacking Functional p53, Kim AL, Athar M, Bickers DR, Gautier J, 818
Ultraviolet Photoproduct Levels in Melanocytic Nevi and Surrounding Epidermis in Human Skin *In Situ*, Zhao C, Snellman E, Jansen CT, Hemminki K, 180
Ultraviolet radiation
  connective tissue growth factor inhibition, 402
  photoaging in human skin, 618
  photoproducts in melanocytic nevi, 180
  protective effects of tanning, 825
Unusual Pemphigus Phenotype in the Presence of a Dsg1 and Dsg3 Autoantibody Profile, *Letter*, Müller A, Kernland K, Caldelari R, Wyder M, Balmer V, Hunziker T, 553
Urocanic acid, 893
Urticaria
  chronic, 658
  role of flu antigen, 645
The Use of Histamine in Cancer Immunotherapy, *Letter*, Schadendorf D, Schadendorf C, Hauschild A, 545
Reply, Falus A, Hegyesi H, Somlai B, Lazar-Molnar E, Darvas Z, 546
Uterine leiomyomas, multiple cutaneous and, 876

V

Vascular endothelial growth factor (VEGF), 519, 800
Venules, leukocyte rolling, 323
Vibrissa rudiment organ culture, 712
Vitamin A, 513
Vitamin C, 372, 565
Vitamin C Regulates Keratinocyte Viability, Epidermal Barrier, and Basement Membrane *In Vitro*, and Reduces Wound Contraction After Grafting of Cultured Skin Substitutes, Boyce ST, Supp AP, Swope VB, Warden GD, 565
Vitamin D receptor, 11, 631
Vitiligo, MART-1-reactive T cells, 589

W

Water permeability, transepidermal, 678, 871
Wax esters, 164
Whn, 303
WM35 melanoma cells, 126
Woolly hair
  in Naxos disease, 559
  syndrome, 232
Wound healing
  creatine kinase system, 416
  potential of keratinocytes, 866
  serine proteinases and matrix metalloproteinases, 55
  vitamin C actions, 565
WY 14643, 94

X

Xeroderma pigmentosum, group G, 344, 972
X-inactivation, 998

Z

Zinsser–Cole–Engman syndrome, 193
Zyxin, 246